



Active demand side management for households in smart grids using optimization and artificial intelligence



Katia Gregio Di Santo*, Silvio Giuseppe Di Santo, Renato Machado Monaro, Marco Antonio Saidel

Department of Electrical Energy and Automation Engineering, University of São Paulo, USP, Av. Prof. Luciano Gualberto, trav. 3 n° 158, CEP 05508-900 Sao Paulo, Brazil

ARTICLE INFO

Keywords:

Energy management
Smart grid
Energy storage
Photovoltaic power
Active demand side management

ABSTRACT

This work aims to develop a methodology to perform the active demand side management for households in smart grids, which contain distributed solar photovoltaic generation and energy storage. Such methodology outcomes a decision-making system that manages the battery aiming to reduce the consumer electricity cost. It also contributes to postpone the investments in expansion of the electricity grid if the higher loading period coincides with the higher electricity tariff of the day. The decision-making system is a validated neural network, trained with optimized data, which can be used in any household meeting certain conditions – specific location and electricity tariff, and consumption profile like to the standard verified by the local electricity utility. To validate this methodology, it was created three consumption and three solar generation profiles, which were combined to each other. The results show that the ANN-based decision-making system operates the battery efficiently to achieve the minimum electricity bill.

1. Introduction

The definition of the smart grid can be a complex electrical power system with a modern infrastructure, composed of automated controls and technologies of sensing, communication, and measurement, as well as modern techniques of electricity management [1]. It covers the generation, transmission, distribution, and consumption of electricity, whose components details are presented in [2]. It is worth mentioning the smart meters, from which is possible to monitor the electric grid, verifying their performance and detecting failures [3].

The definition for smart grid is not universal. Smart grids involve several different techniques and distinct technologies, and each location implements in a different way and proportion, depending on the structure (regulatory compliance, compatibility with local technologies, commercial attractiveness, and availability of investment), and local needs [4,5]. For example, in Brazil, the main drivers for the implementation of smart grids are: the need to reduce costs, increase the reliability and quality of energy services, reduce technical and commercial losses, prepare the network for the future, and promote environmental sustainability [6,7]. In the United States, the motivators are: the need to reduce costs and greenhouse gas emissions from electricity generation, create new markets, ensure energy security against cyber attacks and natural events, increase the reliability and quality of the grid, and accommodate intermittent fonts and storage on the grid. In Europe, the motivators are: the need to promote sustainability

through energy efficiency and the use of renewable sources, increase the efficiency of the grid to make countries more competitive, and ensure security of energy supply [8].

In general, the main characteristics of smart grids are: energy consumer participation; accommodation of several sources of electricity generation and storage; provision of new products, services, and markets; differentiation of energy quality; asset optimization and operation efficiency; and resilient operation to disturbances, attacks, and natural disasters [4].

From the smart grids, it becomes possible the creation of systems to realize Active Demand Side Management (ADSM) in the households. ADSM is the combination of automated controls with demand side management (actions that encourage the consumer to rationalize the use of energy), which causes changes in the consumer load curve. However, without compromising their comfort level or ignoring their preferences. The ADSM action is based on an energetic criterion, which can be, for instance, the price of energy, the maximization of the distributed generation consumption or the power limitation [9].

The implementation of ADSM actions can bring benefits such as reduction of the household electricity bill, reduction of the grid load at peak times, maximization of own consumption in households with distributed generation, and rational use of energy [10–12].

There are several strategies to implement ADSM actions such as optimization, artificial intelligence, fuzzy logic, and others. In addition, there are several tools that should be present in households to achieve

* Corresponding author at: Av. Prof. Luciano Gualberto, trav. 3 n° 158, Room A1-45, 05508-900 Sao Paulo, Brazil.

E-mail addresses: katiagsanto@usp.br (K.G. Di Santo), silviogiuseppe@usp.br (S.G. Di Santo), monaro@usp.br (R.M. Monaro), saidel@usp.br (M.A. Saidel).